TUFNER WEIGHING SYSTEMS
CUMMING GA • ROGERS, MN • RANCHO CUCAMONGA, CA | SALES@TUFNER.COM | (800)360.9619 | WWW.TUFNER.COM

STERLING BENCH SCALES

TUFNER WEIGHING SYSTEMS

STANDARD

ROLLER TOP

BALL TRANSFER

FEATURES

- Mild steel platform, 304 stainless steel tray for easy cleaning
- Adjustable tilt display for convenient viewing
- Aluminum environmentally sealed single point load cell
- Adjustable feet provide exceptional traction
- Standard removable column and wall mounting option
- T900 NTEP indicator with 6 digit, 1” display
- Check-weighing feature for quick portioning
- Units: lbs, kgs, (g, oz, lb:oz available on LCD indicator)
- Rechargeable battery (up to 72 hours continuous use) and AC operation
- Tare, Zero, Hold, Counting & Accumulation features
- Built-in RS-232 communication port
- Level bubble

OPTIONAL HEIGHT ADJUSTABLE BENCH SCALE CART

MODEL	DESCRIPTION	CAPACITY	PLATFORM SIZE	COLUMN	SHIP WT.
STANDARD					
ST-1001212	MS[1] Platform/SS[2] Cover	100 lb x 0.02 lb	12” x 12” x 4” H	8”	23 lbs
ST-1501214	MS Platform/SS Cover	150 lb x 0.02 lb	12” x 14” x 4” H	8”	23 lbs
ST-3001616	MS Platform/SS Cover	300 lb x 0.05 lb	16” x 16” x 4.25” H	16”	32 lbs
ST-4001620	MS Platform/SS Cover	400 lb x 0.05 lb	16” x 20” x 4.25” H	16”	38 lbs
ST-4001818	MS Platform/SS Cover	400 lb x 0.05 lb	18” x 18” x 4.25” H	16”	38 lbs
ST-5002020	MS Platform/SS Cover	500 lb x 0.1 lb	20” x 20” x 4.25” H	23.5”	62 lbs
ST-5001824	MS Platform/SS Cover	500 lb x 0.1 lb	18” x 24” x 5.5” H	23.5”	64 lbs
ST-5002424	MS Platform/SS Cover	500 lb x 0.1 lb	24” x 24” x 5.5” H	23.5”	70 lbs
ST-10002424	MS Platform/SS Cover	1,000 lb x 0.2 lb	24” x 24” x 5.5” H	23.5”	70 lbs
BALL TRANSFER					
STBT-3001616	Ball Transfer Cover	300 lb x 0.05 lb	16” x 16” x 4.25” H	23.5”	32 lbs
STBT-5002020	Ball Transfer Cover	500 lb x 0.1 lb	20” x 20” x 4.25” H	28.5”	62 lbs
STBT-5002424	Ball Transfer Cover	500 lb x 0.1 lb	24” x 24” x 5.5” H	30.5”	70 lbs
STBT-10002424	Ball Transfer Cover	1,000 lb x 0.2 lb	24” x 24” x 5.5” H	30.5”	70 lbs
ROLLER TOP					
STRT-4001818	Roller Top Cover	400 lb x 0.05 lb	18” x 18” x 4.25” H	23.5”	38 lbs
STRT-5002424	Roller Top Cover	500 lb x 0.1 lb	24” x 24” x 5.5” H	30.5”	70 lbs
STRT-10002424	Roller Top Cover	1,000 lb x 0.2 lb	24” x 24” x 5.5” H	30.5”	70 lbs

1 Mild Steel. 2 Stainless Steel.

TUFNER WEIGHING SYSTEMS
CUMMING GA • ROGERS, MN • RANCHO CUCAMONGA, CA | SALES@TUFNER.COM | (800)360.9619 | WWW.TUFNER.COM

SPLASH STAINLESS STEEL BENCH SCALES

HIGH PRECISION

STANDARD

ROLLER TOP

FEATURES

- Stainless steel base, stainless steel platform
- Large 0.9” backlit LCD indicator with a re-chargeable battery and watersealed AC Adapter
- Stainless steel load cell with hardwired cable to indicator for maximum water protection
- Detachable column and tilt stand for table, wall or under counter mounting
- Overload stops on scale base
- Measurement units: lb, kg (g, lb:oz, oz - Not Legal for Trade)
- Lower/upper limit alarm
- Counting feature (Not Legal for Trade)
- Accumulation feature
- Check-weighing feature for quick portioning
- Level bubble

SPECIFICATIONS

- **POWER:** 6V 4Ah rechargeable lead acid battery with 110V power supply
- **FREQUENCY:** 50 or 60 Hz
- **SERIAL COMMUNICATIONS:** Full duplex RS-232, 9600, 4800, 2400, 1200 bps; 8 data bits, 1 stop bits, no parity, no handshaking
- **OPERATING TEMPERATURE:** 5°F to 104°F (-4°C to 40°C)
- **IP RATING:** IP67
- **WARRANTY:** 1 year limited warranty
- **APPROVALS:** NTEP CC 11-016, Class III 5,000 d; Measurement Canada AM-5817, Class III 5,000 d

MODEL	DESCRIPTION	CAPACITY	PLATFORM SIZE	COLUMN HEIGHT	SHIP WT.
HIGH PRECISION WASHDOWN[1]					
STSSHP-6	All Stainless Steel	6lb x 0.0002lb / 3kg x 0.1g	10” x 10” x 4” H	4”	21 lbs
STSSHP-15	All Stainless Steel	15lb x 0.0005lb / 7.5kg x 0.2g	10” x 10” x 4” H	4”	21 lbs
STSSHP-30	All Stainless Steel	30lb x 0.001lb / 15kg x 0.5g	10” x 10” x 4” H	4”	21 lbs
STSSHP-60	All Stainless Steel	60lb x 0.002lb / 30kg x 1 g	10” x 10” x 4” H	4”	21 lbs
STANDARD WASHDOWN					
STSS-1001212	All Stainless Steel	100 lb x 0.02 lb	12” x 12” x 4” H	8”	29 lbs
STSS-1501214	All Stainless Steel	150 lb x 0.02 lb	12” x 14” x 4” H	8”	31 lbs
STSS-3001616	All Stainless Steel	300 lb x 0.05 lb	16” x 16” x 4.25” H	16”	40 lbs
STSS-4001620	All Stainless Steel	400 lb x 0.05 lb	16” x 20” x 4.25” H	16”	47 lbs
STSS-4001818	All Stainless Steel	400 lb x 0.05 lb	18” x 18” x 4.25” H	16”	47 lbs
STSS-5002020	All Stainless Steel	500 lb x 0.1 lb	20” x 20” x 4.25” H	23.5”	66 lbs
STSS-5001824	All Stainless Steel	500 lb x 0.1 lb	18” x 24” x 5.5” H	23.5”	66 lbs
STSS-5002424	All Stainless Steel	500 lb x 0.1 lb	24” x 24” x 5.5” H	23.5”	86 lbs
STSS-10002424	All Stainless Steel	1,000 lb x 0.2 lb	24” x 24” x 5.5” H	23.5”	87 lbs
ROLLER TOP WASHDOWN[2]					
STSSRT-5001818	Roller Top Cover	500 lb x 0.1 lb	18” x 18” x 5.5” H	16”	56 lbs
STSSRT-5002424	Roller Top Cover	500 lb x 0.1 lb	24” x 24” x 5.5” H	23.5”	94 lbs
STSSRT-10002424	Roller Top Cover	1,000 lb x 0.2 lb	24” x 24” x 5.5” H	23.5”	94 lbs

1 Non-NTEP; 2. Made of all Stainless Steel.

TUFNER WEIGHING SYSTEMS
CUMMING GA • ROGERS, MN • RANCHO CUCAMONGA, CA | SALES@TUFNER.COM | (800)360.9619 | WWW.TUFNER.COM

SUBMARINER WASHDOWN BENCH SCALES

IP69K

The industry's highest environmental protection rating available.



INSIDE

8200 REPEL INDICATOR

FEATURES

- Stainless steel base, platform and NTEP load cells
- Detachable column and tilt stand for table, wall or under counter mounting
- Tufners bench scales are built tough and provide shock and static overload load cell protection
- Indicator is constructed of a high tech plastic alloy that is Food grade, Chemical resistant, Temperature resistant and Impact resistant
- ABS Enclosure prevents indicator heating up or cooling down during temperature changes or cleaning
- Color coded check weighing ● Under ● Pass ● Over annunciator LED lights
- Impervious to detergents and cleaning chemicals typically used in washdown and sanitizing applications
- IP69K certified to withstand high pressure and high temperature water cleaning to 1450 psi and 176°F/80°C
- Certified to withstand submersion in over 6 feet of water for 1 hour
- Impact Resistant can withstand being dropped from almost 4 feet (1.2 meters)
- The unique 4 mm thick single piece front housing allows for the use of knives or scissors on the indicator
- All enclosed indicator has no exposed electronics or buttons that can be damaged when wet
- The double O ring 2 stage compression seal, and encapsulated circuitry keep electronic components dry

MODEL	DESCRIPTION	CAPACITY	PLATFORM SIZE	COLUMN	SHIP WT.
SUBM-266	All Stainless Steel	2 lb x 0.0005 lb	6" x 6" x 2" H	8"	29 lbs
SUBM-566	All Stainless Steel	5 lb x 0.001 lb	6" x 6" x 2" H	8"	29 lbs
SUBM-1066	All Stainless Steel	10 lb x 0.002 lb	6" x 6" x 2" H	8"	29 lbs
SUBM-2566	All Stainless Steel	25 lb x 0.005 lb	6" x 6" x 2" H	8"	29 lbs
SUBM-288	All Stainless Steel	2 lb x 0.0005 lb	8" x 8" x 3" H	8"	40 lbs
SUBM-588	All Stainless Steel	5 lb x 0.001 lb	8" x 8" x 3" H	8"	40 lbs
SUBM-1088	All Stainless Steel	10 lb x 0.002 lb	8" x 8" x 3" H	8"	40 lbs
SUBM-2588	All Stainless Steel	25 lb x 0.005 lb	8" x 8" x 3" H	8"	40 lbs
SUBM-21010	All Stainless Steel	2 lb x 0.0005 lb	10" x 10" x 3" H	8"	47 lbs
SUBM-51010	All Stainless Steel	5 lb x 0.001 lb	10" x 10" x 3" H	8"	47 lbs
SUBM-101010	All Stainless Steel	10 lb x 0.002 lb	10" x 10" x 3" H	8"	47 lbs
SUBM-251010	All Stainless Steel	25 lb x 0.005 lb	10" x 10" x 3" H	8"	47 lbs
SUBM-501010	All Stainless Steel	50 lb x 0.01 lb	10" x 10" x 3" H	8"	47 lbs
SUBM-501212	All Stainless Steel	50 lb x 0.01 lb	12" x 12" x 3" H	8"	52 lbs
SUBM-1001212	All Stainless Steel	100 lb x 0.02 lb	12" x 12" x 3" H	8"	52 lbs
SUBM-501616	All Stainless Steel	50 lb x 0.01 lb	16" x 16" x 3" H	16"	66 lbs
SUBM-1001616	All Stainless Steel	100 lb x 0.02 lb	16" x 16" x 3" H	16"	66 lbs
SUBM-2001616	All Stainless Steel	200 lb x 0.05 lb	16" x 16" x 3" H	16"	66 lbs
SUBM-1001818	All Stainless Steel	100 lb x 0.02 lb	18" x 18" x 4" H	16"	66 lbs
SUBM-2501818	All Stainless Steel	250 lb x 0.02 lb	18" x 18" x 4" H	16"	66 lbs
SUBM-5001818	All Stainless Steel	500 lb x 0.1 lb	18" x 18" x 4" H	16"	66 lbs

TUFNER WEIGHING SYSTEMS
CUMMING GA • ROGERS, MN • RANCHO CUCAMONGA, CA | SALES@TUFNER.COM | (800)360.9619 | WWW.TUFNER.COM

TAKE-AWAY PORTABLE BENCH SCALES

TUFNER WEIGHING SYSTEMS

FEATURES

- Convenient portable weighing platform with wheels
- Easily moves in any work area
- 27.5" backrail for pushing or pulling
- Swivel wheel casters come with brakes in the back
- High accuracy stainless steel load cells
- Hinged indicator bracket
- IP Rating: Standard- IP65, Stainless Steel- IP67
- Count, Auto Hold, Check Weighing features
- 1" LCD/LED Display with backlight
- Rechargeable Battery and 110V AC Adapter
- Legal for Trade: NTEP approved CC# 11-016
- Measurement Canada CC# AM-5817

HEAVY DUTY: ADDITIONAL FEATURES

- Low profile, only 6 inches
- 4 ABS feet and 2 back wheels allow the scale to be sturdy yet portable
- Tall column mounts and protects indicator from being damaged and serves as a handle for easy mobility
- Wheels only roll when the unit is tilted back which allows the platform to remain stable when set in place
- 200% overload protection
- Painted mild steel construction

MODEL	DESCRIPTION	CAPACITY	PLATFORM SIZE	RAIL	SHIP WT.
STANDARD					
TWMS-5001824	MS[1] Platform/SS[2] Cover	500 lb x 0.1 lb	18" x 24" x 10" H	27.5"	92 lbs
TWMS-10002424	MS Platform/SS Cover	1,000 lb x 0.2 lb	24" x 24" x 10" H	30.5"	94 lbs
TWDP-5001824	MS Platform/DP[3] Cover	500 lb x 0.1 lb	18" x 24" x 10" H	27.5"	106 lbs
TWDP-10002432	MS Platform/DP Cover	1,000 lb x 0.2 lb	24" x 32" x 10" H	31.5"	149 lbs
STAINLESS STEEL WASHDOWN					
TWSS-5001824	All Stainless Steel	500 lb x 0.1 lb	18" x 24" x 10" H	27.5"	78 lbs
TWSS-5002424	All Stainless Steel	500 lb x 0.1 lb	20" x 20" x 10" H	27.5"	95 lbs
HEAVY DUTY					
TWHD-5002424	MS Platform/DP Cover	500 lb x 0.1 lb	24" x 24" x 6" H	65"	100 lbs

1 Mild Steel. 2 Stainless Steel. 3 Diamond Plated Painted Steel.

TUFNER WEIGHING SYSTEMS
CUMMING GA • ROGERS, MN • RANCHO CUCAMONGA, CA | SALES@TUFNER.COM | (800)360.9619 | WWW.TUFNER.COM

BCT BENCH SCALE CART

TUFNER WEIGHING SYSTEMS

FEATURES

- For use with Tufner bench scales
- Ideal for use in the food or chemical industry
- Stainless steel welded construction
- Wheeled design for effortless smooth movement, easy portability and fast set-up
- Locking rear casters allows for stability
- Adjustable cart legs can be raised or lowered to fit into assembly lines
- Rear handle for easy transporting
- Removable indicator stand
- Tilt-able indicator for eliminating glare
- 1,000 lb capacity



PRODUCT NO.	PLATFORM SIZE	SHIP WT.
BCT-1818	For 18” x 18” platforms	50 lbs
BCT-2424	For 24” x 24” platforms	70 lbs